

(1) **Certificate of Conformity**

(2) Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres – **Directive 2014/34/EU**

(3) Certificate Number:

**EPS 21 ATEX 1 207 X**

**Revision 0**

(4) Equipment: IS-TC1x.2 intrinsically safe, rugged Thermal Camera

(5) Manufacturer: i.safe MOBILE GmbH

(6) Address: i\_Park Tauberfranken 10  
97922 Lauda-Koenigshofen  
Germany

(7) This equipment and any acceptable variation thereto are specified in the schedule to this Certificate of Conformity and the documents therein referred to.

(8) Bureau Veritas Consumer Products Services Germany GmbH certifies based on a voluntary assessment that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II of the Directive 2014/34/EU. The examination and test results are recorded in the confidential documentation under the reference number 21TH0475.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:


**EN IEC 60079-0:2018**


**EN 60079-11:2012**

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subjected to special conditions for safe use specified in the annex to this certificate.

(11) This Certificate of Conformity relates only to the design and the construction of the specified equipment in accordance with Directive 2014/34/EU. Further requirements of this Directive apply to the manufacture and supply of this equipment.

(12) The marking of the equipment shall include the following:

 II 3G Ex ic IIC T4 Gc  
II 3D Ex ic IIIC T135°C Dc



Certification department of explosion protection

Hamburg, 2022-02-03

J. Feike



(13)

## Annex

(14) **Certificate of Conformity EPS 21 ATEX 1 207 X**

**Revision 0**

(15) Description of Equipment:

The IS-TC1x.2 has been designed for the use in explosion hazardous areas of zone 2 and 22. In combination with mobile communication devices, the multifunctional set enables quick and easy recording and display of temperatures.

Variants of the IS-TC1x.2 are listed in document 1066AD05.

Electrical Data:

The supply and interface connection of the IS-TC1x.2 is carried out via the ISM interface of the compatible communication devices. The IS-TC1x.2 is certified in combination with the IS530.2 or other mobile devices that comply with the connection parameters in accordance with document 1048AD04.

(16) Reference number: 21TH0475

(17) Special conditions for safe use:

The 13-pin connector of the IS-TC1x.2 may only be assembled or disassembled from the ISM interface outside hazardous areas.

The device must be protected from impacts with high impact energy, against excessive UV light emission and high electrostatic charge processes.

The permitted ambient temperature range is -20 °C to +60 °C.

(18) Essential health and safety requirements:

Met by compliance with standards.

Certification department of explosion protection

Hamburg, 2022-02-03

