

# Essential instruments

Home & Workplace Indoor Air Quality July 2022

















Welcome to our latest essential instruments for home & workplace indoor air quality

Any questions, please call **0800 059 0800** or visit **www.kane.co.uk** for our other catalogues

# Working with Industry, Associations & CO Safety Awareness













# Contents

Indoor Air Quality Analysers	3-12
Hassle Free & Future proof	3-4
Which IAQ analyser & kit?	7-8
KANE-AQA LINK	9-10
KANE458s LINK FGA & IAQ Analyser	11-12
	13-14
Apps	15
Personal Protection & Indoor Air Quality	16
Leak Detection	17
KANE-TCAM Thermal Imaging	18
KANE CARE & How to return	19-20
Probes, Accessories & Consumables	21-22
Contact us	23

# Global Quality, Environment, Health & Safety

# Why choose UKAS calibration certificates?

Your KANE analyser & pressure meter automatically receives our calibration certificate traceable to National Standards. Our optional UKAS calibration certificate gives unrivalled verification suitable for legal submission with worldwide recognition - Call **0800 059 0800** for more information









KANE CARE is our promise to never let you down or your money back

- ★ 10 Year warranty with annual Service & Recertification
- ★ Same Day Service & Recertification guaranteed
- ★ 20 Year all inclusive pricing the price you see is the price you pay
- ★ Free next day tracked delivery to KANE & 9am next day return & Saturday
- ★ Theft protection 50% off when replacing your stolen KANE analyser

KANE CARE applies to any KANE FGA Service & Recertification booked online via www.kane.co.uk & www.kanetest.ie - some exclusions apply



#### **KANE CD LINK**. Our wireless measurement & future proof promise

### Use your KANE LINK Analyser to safely measure:

- Boiler & Heat Pump flow & return temperatures
- Commercial premises IAQ, airflow & humidity
- Room CO tests up to 4 simultaneously



**Monitoring Indoor Air Quality** 



CONTRACTOR STAT

Room CO

0-10



Flow & return

Leisure premises

# Indoor Air Quality Analysers





Ventilation





Workplace safety

# Test homes & workplaces

see pages 7-12

# Which KANE-AQA is right for me?



What do I need?	KANE-AQ	A1 KANE-AG	QA2 KANE-AQ	A3 KANE-AQA4
IAQ Analyser	~	<ul> <li>✓</li> </ul>	~	~
	<b>v</b>	<ul> <li></li> </ul>	<b>~</b>	<ul> <li>✓</li> </ul>
Temp & Pressure	<b>v</b>	<ul> <li></li> </ul>	~	~
Tightness & let by	<b>~</b>	<ul> <li></li> </ul>	<b>~</b>	<ul> <li></li> </ul>
Ambient CO2 & COM-CAT*	<b>~</b>	<ul> <li></li> </ul>	<b>v</b>	<ul> <li></li> </ul>
Room CO & Sweep test*	✓	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li></li> </ul>
CMDDA1 test*		<ul> <li></li> </ul>	<b>v</b>	<ul> <li></li> </ul>
Airflow, Temp & RH	✓	<ul> <li></li> </ul>	<b>v</b>	<ul> <li>Image: A start of the start of</li></ul>
Pitot tube measurement**	<b>v</b>	<b>v</b>	<b>v</b>	<ul> <li></li> </ul>
CO2 0-9999ppm	Select	Select	Select	Select
CO 0-10,000ppm	One	Two	Three	Four
CO 0-100,000ppm / 10%	Sensor	Sensor	Sensor	Sensor
O2 0-21%	Option	Options	Options	Options
NO 0-600ppm	Only	Only	Only	Only
* Sensor dependant	** Requir	es optional pitot	: probe	
What o	do I ge	t?		
As Standard:		ptions:	KANE-AQ	A CMDDA1 KIT
For full de	tails se	e pag	es 9-1	0







Measure IAQ in homes & workplaces and test appliance integrity

# What do I get?

Handheld IAQ analyser for up to 4 gases Your KANE-AQA - Your way

# What are my options?



Select up to 4 sensors from these options:

**CO2** 0-9999ppm

**CO** 0-10,000ppm\*

**CO** 0-10% (100,000ppm)\*

Two Gas

0

**O2** 0-21%

NO 0-1500ppm

# Which AQA would I like?

Three Gas

**KANE-AQA3** 

£1065




## Supplied with:

 KANE-DTHA2 anemometer, 20128 extender, USB1 charger & 14102/2 large carry bag







**KANE-AQA2** 

£81

All prices exclude VAT

£1320

**KANE-AQA4** 

Four Gas

0

#### KANE-AQA IAQ analyser & appliance tester

- Test room & workplace indoor air quality
- Measure up to 4 gases anytime
- Test commercial catering gas appliances for UK CP42 certificates - meets CIS23 & BS8494\*
- Test commercial catering & workplace ventilation airflow, temp & RH
- Test domestic & commercial flueless gas appliances, space & water heaters\*
- Perform room CO & CO2 safety tests\*
- Fast track UK CMDDA1 room CO investigations - up to 4 rooms simultaneously with optional KANE79 CO monitors
- Perform gas appliance integrity tests tightness, let by & appliance sweep test\*
- Measure heat pump differential flow & return temp with optional WPCP2 clamp probes
- Measure differential pressure for appliance
   pressures & draught
- Suitable for CMDDA1 or IGEM/GL/8 investigation, CCCN1 & COM-CAT\*
- Meets EN50543 for ambient CO2 & CO
- Meets EN50379 for O2, CO & NO\*
- \* Sensor dependant select CO & ambient CO2 to perform:
  - Room CO & CO2 safety tests
  - Appliance sweep tests
  - Flueless gas appliance, space & water heater tests

#### KANE-AQA KIT



## KANE-AQA CMDDA1 KIT add £454



#### 

#### Our wireless measurement & future proof promise

# Use your KANE-AQA & optional wireless LINK devices to safely measure:

- Boiler & Heat Pump flow & return temperatures
- Commercial premises IAQ, airflow & humidity
- Room CO tests up to 4 simultaneously

#### Measures

- CO2 0-20%
- CO2 0-9999ppm
- CO 0-2000ppm or 10000ppm H2 compensation
- NO 0-600ppm
- O2 0-21%
- Differential temperature -20 to +1350°C with suitable probes
- Differential pressure -80 to +80mBar
- Air flow 1.1 20m/s with KANE-DTHA2
- Temperature -20 +50°C with KANE-DTHA2
- RH 0.1 99% with KANE-DTHA2
- Room CO 0-999ppm with optional KANE79 CO monitor

#### Features

- Room migration timed test for CO & CO2 with CO & ambient CO2 sensors
- Appliance timed test for CO & CO2 with CO & ambient CO2 sensors
- Tests Type C sealed appliances, Type B boiler open flue & Type A cooker, space & water heaters
- Data hold, log & print reports with user details to optional KANE-IRP3 printer
- Wireless transfer to KANE LIVE or 3rd party apps
- 10 year warranty when serviced & recertified by KANE
- Backed by KANE CARE We promise to never let you down or your money back



#### **KANE LINK options:**

KANE-WPCP2	Wireless LINK temp clamp probes - connect as a pair	£169
KANE79	Wireless LINK CO monitor to 999ppm - connect up to 4	£219

See KANE LINK devices on pages 13-14



## **Optional extra:** KANE-IRP3 Infra-Red Printer

All prices exclude VAT





Independently tested by TUV SUD to EN50379 Use for BS7967 & TB143 Meets EN50543

CP2

# KANE458s

#### KANE458s Flue Gas & IAQ Analyser

- Test any appliance up to 120KW with option to measure NOx
- Water trap with integrated Water Stop hydrophobic filter prevents water damage
- Test indoor air quality (IAQ) with option to measure ambient CO2 to 9999ppm
- Sweep test domestic appliances for CO & CO2 leaks
- Perform room safety tests for CO & CO2 with optional ambient CO2 sensor
- Fast track CMDDA1 test up to 4 rooms simultaneously with optional wireless LINK KANE79 CO devices
- Test domestic & commercial flueless gas appliances, space & water heaters with optional ambient CO2 sensor
- Test commercial kitchen appliances for CP42
  gas safety certificates
- Use for CIS23 & BS8494
- Meets EN50379 & EN50543 for O2, CO & CO2 with optional ambient CO2 sensor
- Measure differential flow & return temperatures
   wirelessly with optional WPCP2 clamp probes
- Measure differential pressure with structured let by & tightness test
- Also suitable for CMDDA1 or IGEM/GL/8 investigation, CCCN1 & COMCAT, COCN1 & CIGA1 or CGDA1, CORT1, CGFE1, CCP1 or I-GAS when fitted with ambient CO2 & NOx as required

# KANE458s kit options with analyser & probe



#### 

#### Our wireless measurement & future proof promise

#### Use your KANE458s & optional wireless LINK devices to safely measure:

- Boiler & Heat Pump flow & return temperatures
- Commercial premises IAQ, airflow & humidity
- Room CO tests up to 4 simultaneously
- 100% H<sub>2</sub> appliances when required ٠
- HVO appliances when required

#### **Measures**

- CO2 0-20%
- CO<sub>2</sub> 0-9999ppm (option)
- CO 0-2000ppm or 10000ppm H2 compensation (option)
- NO 0-600ppm (option) •
- O<sub>2</sub> 0-21% when fitted ٠
- Differential temperature -20 +1350°C with suitable probes
- Differential pressure -80 +80mBar
- Air flow 1.1 20m/s with optional KANE-DTHA2 ٠
- Temperature -20 +50°C with optional KANE-DTHA2
- RH 0.1 99% with optional LINK KANE-DTHA2 •
- Room CO 0-999ppm with optional KANE79 •

#### CO monitor Calculates

- O2 / CO2 ٠
- CO / CO2 ratio
- Excess air
- NOx (option)

- Combustion efficiency

**KANE5SP** 

For more details visit

www.kane.co.uk

#### **Fuel Types**

- Natural Gas
- Butane
- LPG Light oil

<u> 5440</u>

KANE CARE 5 Year Service Plan

Wood pellets

Year FGA

Service Plan

XXXXXXXXX

Propane

#### **Features**

- Structured tests as KANE358 plus: •
- Room migration timed test for CO & CO2 with optional ambient CO<sub>2</sub> sensor
- Appliance timed sweep test for CO & CO2 with optional ambient CO2 sensor
- Tests Type C sealed appliances, Type B boiler open flue & Type A cooker, space & water heaters
- Data hold, log & print reports with user details to • optional KANE-IRP3 printer
- Wireless transfer to KANE LIVE or 3rd party apps
- 10 year warranty when serviced & recertified by KANE
- Backed by KANE CARE We promise to never let you down or your money back



#### KANE458s sensor options:

<b>O2</b> sensor 0-21%	£255
<b>CO</b> sensor 0-10,000ppm H2 compensated - replaces standard CO sensor	£255
NO sensor 0-600ppm	£255
Ambient CO2 sensor 0-9999ppm	£255

#### **KANE LINK options:**

KANE-WPCP2	Wireless LINK temp clamp probes - connect as a pair	£169
KANE-DTHA2	Wireless LINK airflow, temp & RH	£199
KANE79	Wireless LINK CO monitor to 999ppm - connect up to 4	£219

See KANE LINK devices on pages 13-14



\*Does not include NO sensor











# Wireless measurement & future proof

# KANE-WPCP2



#### Features:

- Wirelessly measure & display system temps including:
   Flow & return
  - Boiler commissioning test
  - Monobloc Heat Pumps
- See real time results on your KANE FGA
- Works in tight spaces for pipe diameters up to 38mm
- Instant On technology
- Range: 0 80°C
- Wirelessly connect to KANE LINK™ enabled devices
- 100m line of sight range



#### **KANE-DTHA2** KANE-DTHA2 Wireless Airflow, Temperature, & Humidity Anemometer ANE DTHA **Features** 0.87 % • Wirelessly measure airflow, temperature & humidity See real time results on your KANE FGA • 2628.6 % Test A/C units & kitchen extraction fans ę Calculate outlet volume flow with dimensions • 424 % & geometry Instant On technology Airflow: 1.1 to 20 m/s; • 72 °C Temp: -20 to +50 C; RH: 0.1 to 99% 12 Optional extender probe - p/n: 20128 IOS / Android App available Wirelessly connect to KANE LINKTM enabled devices £199

# KANE79

Wireless Ambient Carbon Monoxide (CO) Monitor

СО


#### Features

- Safely add Room CO tests to display & test reports when outside a potentially dangerous room
- Detects 0 999ppm CO to 1 ppm resolution
- Green, Yellow, Red alarm & audible alert with Max & Hold
- Wirelessly connect to KANE LINKTM enabled devices
- Test up to 4 rooms simultaneously





#### Alarm LED Indicator Levels



KANE79 is for ambient testing only

DO NOT place in flue gas or warm air streams

FGAs sold separately

Compatible with Apple & Android Devices




# KANE

## KANE LIVE FREE FROM THE APP & PLAY STORE

KANE LIVE connects & controls your KANE Flue Gas Analyser

#### **Key Benefits:**

- View, share & record live tests
- Snap shot test results like a printer
- Generate PDF reports & certificates\*
- Add company & user profiles
- Send test results in CSV for spreadsheets
- GPS tag your location
- Control analyser pump, torch & fresh air purge
- Help via in-app guides & KANE Knowledge Centre
- Quick link to kane.co.uk, e-mail & social media for FAQs & feedback
- \* market dependent



2	_	_
(i) Stop	Readings	
co		43pp#
co,		0.95
0,		3.45
NO		28001
NO,		21001
11		11.15
T2	867	hobe Pitter
Pressure & Viscilian	ъ	22.875
CD/CO, Rafee 8.3005	Effeiend	y

## Also working in Partnership with:

# **Gas Checker**

www.gaschecker.co.uk

# **GES - Gas Engineer Software**

www.gasengineersoftware.co.uk

# HHiC - Benchmark App

www.benchmark.org.uk

## **Master Gas**

www.mastergas.co.uk



**IMPORTANT!** KANE analysers must have a wireless module fitted If unsure or to upgrade your analyser, contact us with your model & serial number



iD Safe<sup>™</sup> Personal CO Alarm & ID Holder

#### Features

- 2 in 1 CO alarm & ID badge holder
- Protects you from high CO levels wherever you are
- Displays your ID badge
- Audible & visual alarm over 20ppm CO
- 2 years "fit & forget" life
- Supplied with lanyard

#### Alarm Levels

In accordance with EH40/2005 (Fourth Edition 2020)

KANE78 is a personal CO alar	
Activity LED 🔵 -Ç	iD Safe™ is active
Battery LED 😑 📫 🄆	Replace iD Safe™
Alarm LED 🔴 📫 🤆	Alarm trigger point CO >20ppm

KANE78 is a personal CO alarm - Once activated, it operates for up to 2 years if alarm doesn't activate

# **Indoor Air Quality**

# KANE-CO2

Indoor Air Quality (IAQ) Carbon Dioxide Monitor

#### Application

Monitors CO<sub>2</sub> concentration, relative humidity & temperature

#### Measures

- Ambient CO<sub>2</sub> 0-5000ppm
- Relative humidity RH 5-95%
- Temperature 0°C to 90°C / 32°F to 195°F







#### Features

- Large display & touch button operation
- Low drift CO2 NDIR sensor with long lifespan
- Audible & visible alarm
- Chart with variable time zoom levels
- CO2 / RH / Temperature monitor tracer
- Auto-calibration on power on & manual calibration
- Max / min value display in real time
- Supplied with USB cable & manual

Health & Safety Executive (HSE) report CO2 monitors help identify poor ventilation increasing risk of COVID Aerosol transmission

All prices exclude VAT

# Leak Detection

# KANE-EGD

Combustible Gas Leak Detector

 EGD detects combustible gas leaks from: 20ppm Hydrogen 50ppm Methane & Propane

#### Gases Detected

AcetoneGasoline/PetrolAlcoholHydrogenAmmoniaIndustrial SolventsBenzeneJet FuelButaneLacquerEthyleneMethane

Naphtha Natural Gas ts Propane Thinners Toluene



- Flexible goose neck probe
- Solid state semi conductor sensor
- Detection levels <50ppm methane
- Indicators audible tic rate & visual multi-coloured LEDs
- Tip light

Supplied with carry case PN: MSC00239

E129

EGD



Visual 3 colour LED indication

# KANE-RGD

Refrigerant Gas Leak Detector

 RGD detects refrigerant gas leaks of: CFC, HFC, HCFC, R11, R22, R134a etc

#### Features

- Flexible goose neck probe
- Solid state semi conductor sensor
- Detection levels 10g / year based on R134a
- Indicators audible tic rate & visual multi-coloured LEDs

£69

Tip light

Supplied with carry case PN: MSC00239



KANE-GLD

Combustible Gas Leak Detector

#### Applications

Pin-point small combustible gas leaks

Gases Detected - same as KANE-EGD

#### Features

- Flexible shaft 180mm long
- Solid state semi conductor sensor
- Audible & visual indicators
- >50ppm methane detection limit



GLD

# **Thermal Imaging**

# **KANE-TCAM**


#### Thermal Imaging Camera

#### Combines surface temperature measurement & real-time thermal imaging - See the unseeable!

#### Features:

- Large colour display & on-screen cursor
  - Accurately locate temperature hotspots
- 3GB SD Card Data storage
  - Store up to 20,000 images that can be extracted through USB
- Rechargeable battery
  - 3 hours during normal operation
- Temperature -20 +300°C
- Four types of surface measurement modes:
  - Coarse surface
- Semi-matte surface Shiny surface
- Semi-shiny surface • Ideal problem solver for:
  - Plumbing & Heating
    - Radiators, underfloor heating, energy auditing or water damage 31.2°C
  - Automotive
    - Heated seats & windows, high resistance in wiring, overheating wiring or components







Underfloor heating

Supplied with USB charger & hard carry case MSC00237


#### **Display Screen 2.8 inch full view TFT display** Current emissivity







Blocked radiators



Invisible leaks





All prices exclude VAT

£619









# **KANE CARE UK & Ireland Service** & Recertification

KANE CARE is our promise to never let you down or your money back

- \* 10 Year warranty with annual Service
   & Recertification
- ★ Same Day Service & Recertification guaranteed
- ★ 20 Year all inclusive pricing the price you see is the price you pay
- ★ Free next day tracked delivery to KANE & 9am next day return & Saturday
- ★ Theft protection 50% off when replacing your stolen KANE analyser

KANE CARE applies to any KANE FGA Service & Recertification booked online via www.kane.co.uk & www.kanetest.ie - some exclusions apply

more info at: www.kane.co.uk/service-and-re-certification














\*Excludes KANE-EGA, AUTO600, '9 series' analysers & UKAS certificates - Ireland 2 day turnaround

# **Combustion Probes**

Combustion probes for standard temperature flue gases  $600^\circ\text{C}\,/\,1112^\circ\text{F}$ 

Please see www.kane.co.uk for high temperature flue gas probes up to 1250°C / 2282°F

	ASP3 KIT	<ul> <li>Appliance sampling probe kit - grills, gas fires &amp; general purpose</li> <li>5mm diameter</li> <li>2.2m flexible tube</li> <li>Separate handle &amp; hose assembly</li> </ul>	£129
	CP2	<ul> <li>240mm probe</li> <li>6mm diameter</li> <li>2m neoprene hose</li> </ul>	£99
	CP2S	<ul><li> 100mm probe</li><li> 6mm diameter</li><li> 1.5m neoprene hose</li></ul>	£99
	CP2T	<ul> <li>285mm PTFE lined probe</li> <li>8mm diameter</li> <li>3m neoprene hose</li> <li>For KANE958, 975 &amp; 988</li> </ul>	£165
	CP30	<ul> <li>240mm combined flue gas &amp; pressure probe</li> <li>6mm diameter</li> <li>2m neoprene hose</li> </ul>	£129
	CP35	<ul> <li>300mm flexible probe</li> <li>8mm diameter</li> <li>1m neoprene hose</li> </ul>	£129
	CP71	<ul><li> 240mm probe</li><li> 6mm diameter</li><li> 0.9m neoprene hose</li></ul>	£109
	17320	• 6mm diameter depth stop cone	£15
	4290/2	8mm diameter depth stop cone	£15
	SM50472	• 10mm diameter depth stop cone for CP35	£15
$\rightarrow$	CPS1	<ul><li>Combustion probe stand</li><li>2.1m max height</li></ul>	£109

	es & Consi e.co.uk for more optior		S S	MSC00238 Hard carry case for KANE3500	£25
	KANE-IRP3 KANE Infra-Red Printer	£185		MSC00239 Hard carry case for KANE-EGD & RGD	£25
-	KANE-MSP KANE Smoke Test Kit	£109	Filters	<b>PF400/5 (pack</b> of five) Filters for KANECO91, 100,	
	<b>18121</b> Oil gauge kit	£165	6000	101, 250, 251, 255, 258, 358, 425, 450, 451plus, 452NO, 455, 456, 457, 458, 458s, 504, 958,	£30
Trading a	SP9 Smoke papers & chart (for use with smoke probe options)	£30		EGA1, 2 & 3 WSF1/5 (pack of five) Water Stop Filter for KANE458s & KANE958	£30
$\bigcirc$	PRD2 Pressure Relief Device	£30	Paper & Ribbons		 
Batteries Chargers &	Power Leads	1		<b>TP5 (pack of five)</b> Thermal printer rolls for Infra-Red Printer	005
	<b>USB1</b> USB charger for KANE258, 358, 458s, 958,	£35	Probe Connectors	KANE-IRP, KANE- IRP2 & KANE-IRP3	<b>£25</b>
Parascorie Parascorie Parascorie Parascorie	KANÉ-EGÁ1,2, & 3 B15 4x 2000 mAh rechargeable batteries. Note: battery make may differ	£35		<b>SM11103</b> Replacement probe connector for KANE100, 101, 250, 251, 255, 451plus, 452NO, 455, 456, 457 & 458	£2
Carry Cases	Ginor		-	SM14980 Replacement	
	<b>17820</b> Small carry bag	£35		probe connector for KANE258, 358, 458s, 958, 975/988, EGA1, 2 & 3	£2
			Water Traps		1
	14102/2 Large carry bag	£60	-	<b>SM50515</b> Replacement water trap for KANE258, 358, 458s, 958 & EGA1, 2 & 3	£40
K	<b>20106</b> Backpack	£100	Extender Stick		<u> </u>
			-	20128	
	MSC00237 Hard carry case for KANE-TCAM	£25		Extender stick for KANE-DTHA2	£40



# WE'VE GOT YOUR BACK

# For more information contact **0800 059 0800** Customer Service

Email: sales@kane.co.uk

Distributed by:

from those illustrated.

Outside UK Call +44 1707 375550

www.kane.co.uk Follow us on... **Follow** 

🛨 🛨 📩 📩 Trustpilot

Prices valid from 1st July 2022. We reserve the right to change prices, products & specifications without prior notice. Kit contents may change - Please check before purchase. All prices ex-works £ GBP & exclude VAT. Free mainland UK next day delivery for orders via www.kane.co.uk or non web orders over £250 - Otherwise £10 for next day or £20 for next day delivery by 10am. Additional £25 charge for reseller orders with 3rd Party delivery address. Product images not to scale unless stated & colours may vary

KANE and the KANE logo (registered in the UK and elsewhere) are trademarks of Kane Group Limited, used under licence. All other marks are trademarks of their respective holders. © 2022 Kane International Limited

Stock No. CAT00342 Rev: 1.00722