## TESTSAFE

# Industrial Video Drain/Pipe Inspection Camera



### Model No. 3299F

This is a professional video pipe inspection camera for inspection of internal pipelines, drains and sewerage systems.

### **Key features:**

- > 38mm stainless steel camera head
- > 60m/80m/100m/120m fiberglass cables available
- > 7" removeable monitor
- > Meter counter
- > Built-in Sonde (512Hz, optional feature)
- > Self-leveling camera lens
- > Light weight (around 19kg)
  And more...


















## TESTSAFE

### Structure





Mini Roller Skid, (Dia. 70mm) for pipe dia. 75mm-120mm





## Industrial Video Drain/Pipe Inspection Camera

### Structure

#### **Unique Design**

The unique design of this camera system is that all parts (including camera head, monitor, cable etc) are all mounted on a robust stainless steel wheel. It's a one touch start camera system, very easy to operate.









## TESTSAFE

# Industrial Video Drain/Pipe Inspection Camera

### Features & Specs

#### Camera Head

| Material:                       | #304 Stainless Steel                 |
|---------------------------------|--------------------------------------|
| Dimension:                      | ¢ 38mm×81mm ( Main body )            |
| Sensor:                         | 1/3" Sony CCD, 480 TV Lines          |
| View Angle:                     | 120°                                 |
| Focal Distance:                 | 12-120cm                             |
| Roller Skids:                   | Mini roller skid dia.72mm            |
|                                 | Universal roller skid dia. 115-250mm |
| Camera head glass material:     | Saphire glass                        |
| LEDs:                           | 12pcs high light LEDs                |
| Waterproof:                     | Max. 20m under water                 |
| Built-in 512Hz Sonde (optional) |                                      |
| With self-leveling              |                                      |

#### **Push Cable**

| Cable dia         | 9mm             |
|-------------------|-----------------|
| Cable Material:   | Fiberglass      |
| Available length: | 60/80/100/120m  |
| Wheel material:   | Stainless steel |

#### Monitor

| Display:              | 7" high definition color LCD monitor                |
|-----------------------|---|
| Resolution:           | 800*480 R.G.B.                                      |
| Encoding:             | H.264   |
| Monitor Installation: | On top or side of wheel by a universal bracket      |
| Storage:              | SD Card slot to store still images or videos        |
| Audio:                | Local audio recording                               |
| Menu Language:        | English, German, French, Spanish, Italian, Chinese, |
|                       | Japanese, Russian, Portuguese                       |
| Switch:               | One push button start                               |
| Power supply:         | Built-in rechargeable Li-battery                    |
| Work time:            | 4-5 hours   |
| Charge time:          | 6-7 hours   |
| Date/time display:    | On-Screen date and time                             |
| Meter Counter:        | On-screen meter and ft. display                     |

### Parts for a kit

| 1 x Camera Head               |              |
|-------------------------------|--------------|
| 1 x Cable & Wheel             |              |
| 1 x Monitor                   | <b>李</b> 命最, |
| 1 x Mini roller skid          |              |
| 1 x Universal roller skid     |              |
| 1 x Wheel extension handle    |              |
| 1 x Universal monitor bracket | 900          |
| 1 x Screw driver              | A            |
| 1 x Remote control            |              |
| 1 x Power supply adapter      |              |
| 1 x Car charger               |              |
| 1 x Hex Wrench                |              |
| 1 x Tool bag                  |              |
| 1 x Double box wrench         | 5            |

www.tester.co.uk | Part of the PASS Group For enquiries call: 01642 931 329