
# KERN CCS3T-1L







Measuring system	
Adjustment options:	External calibration
Linearity:	500 mg
Recommended adjusting weight:	3000 kg (M1)
Repeatability:	200 mg
Stabilisation time under laboratory conditions:	2 s
Weighing system:	Strain gauge
Weighing units:	kg lb

## Display Display digit height: 2 cm

Counting		
Counting resolution:	30000000	
Mininum piece weight at piece counting (Laboratory:	100 mg	
Mininum piece weight at piece counting (Normal):	1 g	
Reference weight:	yes	

Functions		
Conversion function:	yes	
Counting function:	yes	
Function to save totals:	yes	
PRE-TARE function:	yes	
Weighing with tolerance range:	yes	

Environmental conditions					
Maximum humidity:	80 %				
Maximum operating temperature:	40 °C				
Minimum ambient temperature:	0°C				
Minimum humidity:	0 %				

	0	V.V	Ar	C I	In	n	W
ш	U	w	er	ગ	JŲ	ν	IУ

Charging time: 12 h

220 V - 240 V AC 50 Hz Input voltage: Mains adapter/adapter included: CH EURO UK US

Operating time (Backlight on): 70 h

Rechargeable battery: Rchrg. battery optional

#### Service

Adjustment at the location of installation: abhängig von

Auflösung/Max | depends on resolution and capacity

DAkkS Certificate: 962-132-128

### Category

Brand: KERN

Product Group: Counting system

## Packaging & shipping

Delivery: 120 h

Dimensions packaging (WxDxH): 1525 x 1525 x 235 mm

Gross weight: 210 kg Net weight: 205 kg

Shipping method: Freight forwarder

## Construction

1,500 m Cable length: Cable length of display device: 2,500 m Casing material: **Plastic** 

Dimensions of weighing plate 1500 x 1500 x 80 mm

(WxDxH):

Level indicator: yes

Material weighing plate: Metal lacquered Overall dimensions mounted 320 x 330 x 125 mm

(WxDxH):

Revolving screw feet: yes

Weighing surface (WxD): 1500 x 1500 mm

#### Piktogramme

#### STANDARD



















1 DAY



5 DAYS