KERN CCS600K-2







Measuring system	
Adjustment options:	External calibration
Linearity:	50 mg
Recommended adjusting weight:	600 kg (M1)
Repeatability:	20 mg
Stabilisation time under laboratory conditions:	2 s
Weighing system:	Strain gauge
Weighing units:	kg lb

Counting		
Counting resolution:	12000000	
Mininum piece weight at piece counting (Laboratory:	50 mg	
Mininum piece weight at piece counting (Normal):	500 mg	

2 cm

yes

Display

Display digit height:

Reference weight:

Functions		
Conversion function:	yes	
Counting function:	yes	
Function to save totals:	yes	
PRE-TARE function:	yes	
Weighing with tolerance range:	yes	

Environmental conditions				
Maximum humidity:	80 %			
Maximum operating temperature:	40 °C			
Minimum ambient temperature:	0°C			
Minimum humidity:	0 %			

	\triangle	W	Or	CI	In	n	W
ш	U	w	CI.	Sι	IJν	ν	IУ

Charging time: 12 h

Input voltage: 220 V - 240 V AC 50 Hz
Mains adapter/adapter included: CH EURO UK US

Operating time (Backlight on): 70 h

Rechargeable battery: Rchrg. battery optional

Service

Adjustment at the location of installation: abhängig von

Auflösung/Max | depends on resolution and capacity

DAkkS Certificate: 962-130-127

Category

Brand: KERN

Product Group: Counting system

Packaging & shipping

Delivery: 120 h

Dimensions packaging (WxDxH): 1025 x 1025 x 235 mm

Gross weight: 115 kg
Net weight: 110 kg

Shipping method: Freight forwarder

Construction

Cable length: 1,500 m
Cable length of display device: 2,500 m
Casing material: Plastic

Dimensions of weighing plate 1000 x 1000 x 80 mm

(WxDxH):

Level indicator: yes

Material weighing plate: Metal lacquered

Overall dimensions mounted 320 x 330 x 125 mm


(WxDxH):

Revolving screw feet: yes

Weighing surface (WxD): 1000 x 1000 mm

Piktogramme

STANDARD



OPTION

