
KERN IFB 600K-2







Measuring system	
Adjustment options:	External calibration
Linearity:	60 g
Readability [d]:	20 g
Recommended adjusting weight:	600 kg (F2)
Repeatability:	20 g
Resolution:	30000
Stabilisation time under laboratory conditions:	2\$
Tare range:	-600 kg
Warm up time:	2 h
Weighing capacity [Max]:	600 kg
Weighing system:	Strain gauge
Weighing units:	kg

Display digit height:	5,200 cm
Counting	
Counting resolution:	30000
Mininum piece weight at piece counting (Laboratory:	20 g
Mininum piece weight at piece counting (Normal):	200 g

Display

Functions	
Counting function:	yes
Function to save totals:	yes
Percentage determination:	yes
Vibration-free weighing (Animal weighing program):	yes
Weighing with tolerance range:	yes

Environmental conditions	
Maximum humidity:	80 %
Maximum operating temperature:	40 °C
Minimum ambient temperature:	-10 °C
Minimum humidity:	0 %

Minimum humidity:	0 %
Power supply	
Charging time:	12 h
Input voltage:	100 V - 240 V 50 / 60 Hz
Mains adapter/adapter included:	CH EURO UK US
n/a:	Mains adapter external

Power supply	
Operating time (Backlight off):	35 h
Operating time (Backlight on):	8 h
Rechargeable battery:	Rchrg. battery optional (factory)

Service		
Adjustment at the location of instal	ation: 961-250	
DAkkS Certificate:	963-130	
Category		

Gategory	
Brand:	KERN
Category:	Balances
Product Group:	Industiral scale

Packaging & shipping	
Delivery:	48 h
Dimensions packaging (WxDxH):	1250 x 800 x 380 mm
Gross weight:	70 kg
Net weight:	65 kg
Shipping method:	Freight forwarder

Construction	
Cable length of display device:	3 m
Casing material:	Plastic
Dimensions of display device (WxDxH):	250 x 160 x 58 mm
Dimensions of weighing plate (WxDxH):	800 x 600 x 200 mm
Level indicator:	yes
Material weighing plate:	stainless steel
Overall dimensions mounted (WxDxH):	800 x 600 x 190 mm

KERN IFB 600K-2



Platform scale in heavy version with EC type approval [M], now also up to [Max] 600 kg

Revolving screw feet: yes

Wall mount: yes

Weighing surface (WxD): 800 x 600 mm

Piktogramme

STANDARD



OPTION



FACTORY

