

Product Specification 04/12/2018

NorTronic 1/2" Square Drive, 200 N·m, 915MHz



In order to communicate wirelessly between a NorTronic and a PC it is necessary to purchase the appropriate USB Wireless Adaptor. This is sold separately because each adaptor can handle up to eight NorTronic wrenches.

There are two communication frequency versions of the NorTronic because different countries operate different licence free radio transmission bands. The two frequencies that we offer cover most areas of the world. Please <u>click here</u> to view the map we have provided as a guide to the appropriate frequency to buy however, it is the user's responsibility to ensure that local laws are complied with.

Part number: 43506 EAN Bar Code: -NATO number: -Accuracy: See Text Below Operates between: 20.00 - 200.00 N·m

NorTronic Model 200







TECHNICAL SPECIFICATIONS

- Length: 593 mmSquare Size: 1/2"
- Weight: 1.45 Kg
- ±1% accuracy between 20 and 100% of wrench operating capacity
- ±2% accuracy between 10 and 19% of wrench operating capacity

FEATURES

- Torque calibration in both Clockwise and Anti-clockwise direction
- Ability to have up to 15 linked or non-linked targets on the tool at any one time
- Ability to set a Torque, Angle and Final Torque Target
- · Directly display, save and send the output Torque of a HT (Hand Torque) gearbox when used in conjunction with a NorTronic
- Send up to 15 sequential or non-sequential targets to a NorTronic Tool
- Real time graph creation from a USB connected tool
- · Create a report from stored results
- ASCII mode added for interfacing the tool to third party software (for USB and wireless)
- · Supplied with a robust ratchet and compatible with Norbar's huge range of spanner end fittings
- Test results are time and date stamped for traceability
- Two full colour OLED displays positioned at 90 degrees for great visibility
- Colour indicator on display changes when target torque/angle has been reached
- Audible and vibration feedback when set target of torque/angle has been reached
- Supplied with traceable certificate for torque and angle calibration
- For more features please see link to sales leaflet under catalogue below

NORBAR TORQUE TOOLS LTD. Wildmere Road, Banbury, Oxfordshire, OX16 3JU, United Kingdom

Registered Office as above - Registered in England No. 380480 - VAT No. GB 119 1060 05

• Tel: +44 (0) 1295 270333

• Enquiries: +44 (0) 1295 753600

• After Sales: +44 (0) 1295 753635

• Fax: +44 (0) 1295 753609

Email: enquiry@norbar.comRepairs: repairs@norbar.com