

## TruCheck 2, 10 - 350 N·m



TruCheck™ 2 is a cost effective torque wrench checker that has been redesigned to incorporate improved features whilst maintaining ease of use.

The TruCheck™ 2 aims to cut the cost of purchasing a torque wrench checking system and remove the fears over the complexity of using such equipment.

**Part number:** 43524

**EAN Bar Code:** -

**NATO number:** -

**Accuracy:** -

**Operates between:**

10.00 - 350.00 N·m



## TECHNICAL SPECIFICATIONS

- Weight: 2.6 Kg
- Accuracy:  $\pm 1\%$  torque reading accuracy
- Display: LCD Display
- Temp Range - Operating:  $0^{\circ}\text{C}$  to  $+50^{\circ}\text{C}$
- Temp Range - Storage:  $-20^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$
- Auto Reset Hold Time: 3 seconds
- Power Consumption: 0.5W
- Environment: IP 40
- Electromagnetic Compatibility (EMC) Directive: Designed to comply with EN 61326-1
- Supplied with a 1/2" female square drive
- Requires two Hexagon Socket Head Cap Screws ISO 4762 - M10 - 12.9 to fix in position (not included)
- UKAS accredited calibration is optional

## FEATURES

- Allows torque tool performance to be monitored and tools kept in peak condition.
- Supplied with traceable calibration certificate
- Limited settable options. Ideal for non-expert users with click type torque wrenches
- Inbuilt Micro USB 2.0 port enables power from any USB power source

NORBAR TORQUE TOOLS LTD. Wildmere Road, Banbury, Oxfordshire,  
OX16 3JU, United Kingdom  
Registered Office as above - Registered in England No. 380480 - VAT No.  
GB 119 1060 05

- Tel: + 44 (0) 1295 270333
- Enquiries: + 44 (0) 1295 753600
- After Sales : + 44 (0) 1295 753635
- Fax: + 44 (0) 1295 753609
- Email: [enquiry@norbar.com](mailto:enquiry@norbar.com)
- Repairs: [repairs@norbar.com](mailto:repairs@norbar.com)